



IECEX Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEX SIR 19.0045X** Page 1 of 4 Certificate history:
Status: **Current** Issue No: 2 [Issue 1 \(2021-05-11\)](#)
[Issue 0 \(2019-11-15\)](#)
Date of Issue: 2021-06-14
Applicant: **SKF France**
204 Boulevard Charles de Gaulle
37540 Saint Cyr sur Loire
France
Equipment: **CMDT 391-Ex Sensor with accessories: CMAC 8010-Ex IEPE Cable and CMAC 8007 IS charging cable.**
Optional accessory:
Type of Protection: **Intrinsically Safe ib**
Marking: Ex ib IIC T4 Gb
-20°C ≤ Ta ≤ +60°C

Approved for issue on behalf of the IECEx
Certification Body:

Neil Jones

Position:

Certification Manager

Signature:
(for printed version)

Date:

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

CSA Group Testing UK Ltd
Unit 6, Hawarden Industrial Park
Hawarden, Deeside CH5 3US
United Kingdom





IECEX Certificate of Conformity

Certificate No.: **IECEX SIR 19.0045X**

Page 2 of 4

Date of issue: 2021-06-14

Issue No: 2

Manufacturer: **SKF France**
204 Boulevard Charles de Gaulle
37540 Saint Cyr sur Loire
France

Additional
manufacturing
locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEX Quality system requirements. This certificate is granted subject to the conditions as set out in IECEX Scheme Rules, IECEX 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2017 Explosive atmospheres - Part 0: Equipment - General requirements
Edition:7.0

IEC 60079-11:2011 Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"
Edition:6.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Reports:

[GB/CSAE/ExTR21.0005/00](#)

[GB/SIR/ExTR19.0286/00](#)

[GB/SIR/ExTR21.0085/00](#)

Quality Assessment Report:

[GB/CSAE/QAR21.0002/00](#)



IECEX Certificate of Conformity

Certificate No.: **IECEX SIR 19.0045X**

Page 3 of 4

Date of issue: 2021-06-14

Issue No: 2

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

The CMDT 391-Ex Vibration with two accessories CMAC 8010-Ex IEPE Cable and CMAC 8007 Safe area IS charger is a portable device powers from a re-chargeable battery and it is used for collecting data inside hazardous area. Battery recharging is undertaken in the non-hazardous area, with the battery remaining in the equipment whilst charging take place.

Refer to the Annexe for the Entity Parameters

SPECIFIC CONDITIONS OF USE: YES as shown below:

1. Charging is only permitted in the non-hazardous location and at the ambient temperature of 0°C - 40°C.
2. The socket can only be connected to the CMAC 8007, and CMDT 391-Ex EX Power Adapter for charging in the non-hazardous area.



IECEX Certificate of Conformity

Certificate No.: **IECEX SIR 19.0045X**

Page 4 of 4

Date of issue: 2021-06-14

Issue No: 2

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)

This issue, Issue 2, recognises the following change; refer to the certificate annex to view a comprehensive history:

1. A change of the Manufacturer's and Certificate Holder's name and address on the certificate:
From: SKF (U.K.) Limited, Condition Monitoring Centre, 2 Michaelson Sq, Kirkton Campus, Livingston EH54 7DP, Lothian, UK.
To: SKF France, 204 Boulevard Charles de Gaulle, 37540 Saint Cyr sur Loire, France

Annex:

[IECEX SIR 19.0045X Issue 2 Annexe.pdf](#)

Annexe to: IECEx SIR 19.0045X Issue 2

Applicant: SKF France

Apparatus: CMDT 391-Ex Sensor with accessories: CMAC
8010-Ex IEPE Cable and CMAC 8007 IS charging
cable.



The CMAC 8010-Ex, IEPE Cable has the following hazardous area entity parameters at the IEPE cable connector.

Uo : 23.1 V
Co : 0.14 uF
Io : 85.47 mA
Po : 12 mW
Lo : 1.48 mH
Lo/Ro : 72.03 uH/ Ω
Ci : 0
Li : 0

Conditions of Manufacture

1. Only the following battery pack is permitted. Battery pack assembly no. LP502243JU, manufactured by Jauch.

Full certificate change history

Issue 1 – this Issue introduced the following changes:

1. Introduction of three new encapsulation materials for the CMAC 8010-Ex IEPE Cable.
2. Drawings CMAC 8010-Ex and Safety Critical Parts Declaration updated to reflect the change above.

Issue 2 – this Issue introduced the following change:

1. A change of the Manufacturer's and Certificate Holder's name and address on the certificate:

From:
SKF (U.K.) Limited
Condition Monitoring Centre
2 Michaelson Sq, Kirkton Campus
Livingston
EH54 7DP
Lothian
United Kingdom

To:
SKF France
204 Boulevard Charles de Gaulle
37540 Saint Cyr sur Loire
France