

SKF Enlight Centre

Release summary



Software version: **v2026.05.1**

Release date: **May 2026**

SKF Sverige AB
Ålgatan 10D, 973 34 Luleå, Sweden
Telephone: +46 (0) 31 337 10 0

Contents

- [Security and password compliance](#)
- [User interface improvements](#)
- [Important notes](#)

Security and password improvements


Password security for Enlight Centre has been significantly strengthened to comply with SKF's ISMS (Information Security Management Systems) framework and the latest ISO standards. These changes were implemented in coordination with Jonas Vallström - Information & Cybersecurity Officer for Global Services.

What is changed

- Minimum password length increased to **12 characters** (maximum 72 characters).
- Passwords **must** now **include** a combination of uppercase letters, lowercase letters, numbers, and special characters.
- **Password history enforced** - the last 20 passwords cannot be reused.
- The **Forgot Password** flow now validates the new password against the updated rules before accepting it.
- The **Change Password** screen in User Admin has been updated to clearly display the new password requirements and validate them in real time.

What existing users should expect:

After this production release, users whose passwords have expired or do not meet the new policy will receive a password reset email to reset their Enlight Centre password. Users will be guided through setting a new password that meets the updated requirements.



The image displays two versions of the 'Change password' form side-by-side. Both forms have a title 'Change password' and a 'Cancel' link. The left form includes a detailed instruction: 'Your password length must be minimum 12 and maximum 72 characters and contain at least one uppercase letter, one lowercase letter, one number, and one special character.' Below this are three input fields: 'Old password*', 'New password*', and 'Confirm new password*'. A blue 'Save' button is at the bottom. A red box highlights a message at the bottom: 'Your password length must be minimum 12 and maximum 72 characters.' The right form is similar but has a red box highlighting the password requirements at the top: 'Your password length must be minimum 12 and maximum 72 characters and contain at least one uppercase letter, one lowercase letter, one number, and one special character.' The 'Save' button is greyed out.

SECURITY AND PASSWORD IMPROVEMENTS

What is changed



SKF®

Set new Password

Your e-mail *

Your Verification Code *

New Password *

123456789011

Password must contain at least one uppercase letter, one lowercase letter, one number, and one special character

Confirm Password *

.....

Set new Password

Didn't get the code? [Resend code](#)

[← Back](#)

Change password

Cancel

Your password length must be minimum 12 and maximum 72 characters and contain at least one uppercase letter, one lowercase letter, one number, and one special character.

Old password*

.....

New password*

.....

Confirm new password*

.....

Save

Your password must contain at least one uppercase letter, one lowercase letter, one number, and one special character.

Hierarchy

View & Edit

Routes

View & Edit

Analyze

View & Edit

Reports

Create report

Insights

View & Edit

Devices

View & Edit

Apps and Devices

User interface improvements

Cyber security

Application resize fix


Fixed an issue where the Enlight Centre application did not resize correctly when the browser window was resized. Specifically, the responsiveness of the Hierarchy module has been improved, which resolves the overlapping issue with adjacent modules in the web application. The layout now adjusts properly at all screen sizes.

Search field validation

Improved input validation on search fields throughout the application. Whitespace and unwanted blank spaces are now trimmed and will no longer count as valid search input. This prevents unnecessary database calls and ensures search results are accurate and relevant.

Supported sensor text update

Updated the supported sensor text in the Measurement Point configuration module. Enlight Centre now shows that it supports the QuickCollect sensor CMDT 391/392.



Platform Upgrade

The Enlight Centre web application has been upgraded to use the latest version of its underlying frontend framework (React v18). This is an internal platform upgrade — there are no changes to how the application looks or behaves from a user perspective. The upgrade ensures continued compatibility with modern web standards, improved stability, and better long-term maintainability of the application.



Important notes

- Password policy change: Users whose current password does not meet the new requirements or has expired will receive a password reset email after the production release. Follow the instructions in the email to set a new password.
- QuickCollect sensor support: The Measurement Point configuration now reflects support for CMDT 391/392 sensors.
- Platform upgrade: This is a behind-the-scenes change. You should not notice any difference in how the application works.
- Resize fix: If you previously experienced overlapping or layout issues when resizing your browser, this has now been fixed.